## 4. STROKE

A. FIRST AID

F =FACE --ASKED TO SMILE-- DROOPING A =ARM—RAISE BOTH ARMS—WEAKNESS IN LIMBS

S = SPEECH –SIMPLE SENTENCE—SLURRING

T= TIME—NOTE WHEN SIGNALS BEGAN

## 5. ALLERGIC REACTION

- A. SIMPLE---EYES WATER OR ITCH
- B. CAUSE S OF ANAPHYLAXIS
  - 1. FOOD
  - 2. INSECT STING
  - 3. MEDICATION
  - 4. LATEX
- C. ANAPHYLAXIS SIGNALS
  - 1. SWELLING, ITCHING AND HIVES
  - 2. RED WATERY EYES
  - 3. RUNNING NOSE
  - 4. COUGHING, WHEEZING OR DIFFICULTY IN BREATHNG
  - 5. THROAT TIGHTNESS OR CLOSING
  - 6. DIFFICULTY IN SWALLOWING
  - 7. NAUSEA/VOMITING
  - 8. STOMACH CRAMPS
  - 9. CHANGE OF VOICE
  - 10. SENSE OF DOOM
  - 11. DIZZINESS, FAINTING OR LOSS OF CONSCIOUSNESS
  - 12. CHANGE IN SKIN COLOR
- D. SHOT

## EPI PEN----

- 1. WITHIN 15 MINUTES EFFECTIVE MEDICATION LASTS
- 2. HEART COULD POUND AFTER SHOT